

No.	Calibre	Diameter [mm / inch]	Projectile manufacturer	Bullet type	Bullet weight [g]	Bullet weight [grain]	Powder manufacturer	Powder type	max. powder mass [g]	max powder mass [grain]	min. powder mass [g]	min. Powder mass [grain]	Primer cap type	Primer cap manufacturer	Primer cap model	Case manufacturer	L6 [mm]	for max. load v3 [m/s]
1	.22 Hornet	5,6 / .224	RWS	TMH	2,60	40	Rottweil	R 910	0,590	9,1	0,500	7,7	SR	RWS	4033	RWS	43,50	740
2	.22 Hornet	5,6 / .224	RWS	VMF	2,60	40	Rottweil	R 910	0,590	9,1	0,500	7,7	SR	RWS	4033	RWS	43,50	750
3	.22 Hornet	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 910	0,550	8,5	0,500	7,7	SR	RWS	4033	RWS	43,70	700
4	.22 Hornet	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 910	0,550	8,5	0,500	7,7	SR	RWS	4033	RWS	43,70	700
5	.22 Hornet	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 910	0,550	8,5	0,500	7,7	SR	RWS	4033	RWS	43,50	695
6	.22 Hornet	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 910	0,530	8,2	0,500	7,7	SR	RWS	4033	RWS	44,50	640
7	.222 Rem.	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 910	0,950	14,7	0,650	10,0	SR	RWS	4033	RWS	51,40	875
8	.222 Rem.	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 901	1,390	21,5	1,260	19,5	SR	RWS	4033	RWS	51,40	935
9	.222 Rem.	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 902	1,560	24,0	1,430	1,4	SR	RWS	4033	RWS	51,40	965
10	.222 Rem.	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 910	0,950	14,7	0,650	10,0	SR	RWS	4033	RWS	51,40	870
11	.222 Rem.	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 901	1,390	21,0	1,230	19,0	SR	RWS	4033	RWS	51,40	960
12	.222 Rem.	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 902	1,490	23,0	1,360	21,0	SR	RWS	4033	RWS	51,40	980
13	.222 Rem.	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 910	0,950	14,7	0,650	10,0	SR	RWS	4033	RWS	51,10	870
14	.222 Rem.	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 901	1,360	21,0	1,230	19,0	SR	RWS	4033	RWS	51,10	960
15	.222 Rem.	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 902	1,490	23,0	1,360	21,0	SR	RWS	4033	RWS	51,10	980
16	.222 Rem.	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 901	1,360	21,0	1,230	19,0	SR	RWS	4033	RWS	53,00	940
17	.222 Rem.	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 902	1,490	23,0	1,430	22,0	SR	RWS	4033	RWS	53,00	965
18	.222 Rem.	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 903	1,560	24,0	1,490	23,0	SR	RWS	4033	RWS	53,00	950
19	.223 Rem.	5,6 / .224	RWS	Match Jagd	3,40	52	Rottweil	R 901	1,590	24,5	1,520	23,5	SR	RWS	4033	RWS	53,80	990
20	.223 Rem.	5,6 / .224	RWS	Match Jagd	3,40	52	Rottweil	R 902	1,750	27,0	1,590	24,5	SR	RWS	4033	RWS	53,80	1005
21	.223 Rem.	5,6 / .224	RWS	TMS	4,10	63	Rottweil	R 902	1,620	25,0	1,520	23,5	SR	RWS	4033	RWS	53,80	940
22	.223 Rem.	5,6 / .224	RWS	TMS	4,10	63	Rottweil	R 903	1,750	27,0	1,620	25,0	SR	RWS	4033	RWS	53,80	940
23	.223 Rem.	5,6 / .224	RWS	TMS	4,10	63	Rottweil	R 907	1,810	28,0	1,720	26,5	SR	RWS	4033	RWS	53,80	915
24	.223 Rem.	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 901	1,490	23,0	1,430	22,0	SR	RWS	4033	RWS	53,80	940
25	.223 Rem.	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 902	1,690	26,0	1,590	24,5	SR	RWS	4033	RWS	53,80	990
26	.223 Rem.	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 903	1,810	28,0	1,720	26,5	SR	RWS	4033	RWS	53,80	980
27	.223 Rem.	5,6 / .224	RWS	Match Jagd	3,40	52	Rottweil	R 903	1,810	28,0	1,720	26,5	SR	RWS	4033	RWS	53,80	950
28	.223 Rem.	5,6 / .224	RWS	TMS	3,60	56	Rottweil	R 902	1,620	25,0	1,560	24,0	SR	RWS	4033	RWS	53,60	970
29	.223 Rem.	5,6 / .224	RWS	TMS	3,60	56	Rottweil	R 903	1,810	28,0	1,690	26,0	SR	RWS	4033	RWS	53,60	990
30	.223 Rem.	5,6 / .224	RWS	TMS	3,60	56	Rottweil	R 907	1,810	28,0	1,750	27,0	SR	RWS	4033	RWS	53,60	965
31	.223 Rem.	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 901	1,490	23,0	1,430	22,0	SR	RWS	4033	RWS	53,50	945
32	.223 Rem.	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 902	1,690	26,0	1,590	24,5	SR	RWS	4033	RWS	53,50	990
33	.223 Rem.	5,6 / .224	RWS	Match Jagd	3,00	46	Rottweil	R 903	1,810	28,0	1,720	26,5	SR	RWS	4033	RWS	53,50	985
34	.223 Rem.	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 901	1,490	23,0	1,430	22,0	SR	RWS	4033	RWS	53,50	950
35	.223 Rem.	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 902	1,690	26,0	1,590	24,5	SR	RWS	4033	RWS	53,50	995
36	.223 Rem.	5,6 / .224	RWS	VMS	3,00	46	Rottweil	R 903	1,810	28,0	1,720	26,5	SR	RWS	4033	RWS	53,50	980
37	.223 Rem.	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 901	1,520	23,5	1,430	22,0	SR	RWS	4033	RWS	53,80	970
38	.223 Rem.	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 902	1,650	25,5	1,560	24,0	SR	RWS	4033	RWS	53,80	970
39	.223 Rem.	5,6 / .224	RWS	TMS	3,20	49	Rottweil	R 903	1,810	28,0	1,720	26,5	SR	RWS	4033	RWS	53,80	970
40	5,6 x 57	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 910	1,490	23,0	0,970	15,0	LR	RWS	5341	RWS	65,00	1015
41	5,6 x 57	5,6 / .224	RWS	TMS	3,00	46	Rottweil	R 902	2,400	37,0	2,200	34,0	LR	RWS	5341	RWS	65,00	1040

42	5,6 x 57	5,6 / .224	RWS	TMS	3,00	46 Rottweil	R 903	2,590	40,0	2,330	36,0	LR	RWS	5341 RWS	65,00	1150
43	5,6 x 57	5,6 / .224	RWS	TMS	3,20	49 Rottweil	R 902	2,370	36,5	2,300	35,5	LR	RWS	5341 RWS	67,00	1070
44	5,6 x 57	5,6 / .224	RWS	TMS	3,20	49 Rottweil	R 903	2,530	39,0	2,330	36,0	LR	RWS	5341 RWS	67,00	1100
45	5,6 x 57	5,6 / .224	RWS	TMS	3,20	49 Rottweil	R 907	2,790	43,0	2,400	37,0	LR	RWS	5341 RWS	67,00	1150
46	5,6 x 57	5,6 / .224	RWS	Match Jagd	3,00	46 Rottweil	R 910	1,490	23,0	0,970	15,0	LR	RWS	5341 RWS	67,50	1020
47	5,6 x 57	5,6 / .224	RWS	Match Jagd	3,00	46 Rottweil	R 902	2,400	37,0	2,200	34,0	LR	RWS	5341 RWS	67,50	1040
48	5,6 x 57	5,6 / .224	RWS	Match Jagd	3,00	46 Rottweil	R 903	2,590	40,0	2,330	36,0	LR	RWS	5341 RWS	67,50	1130
49	5,6 x 57	5,6 / .224	RWS	VMS	3,00	46 Rottweil	R 910	1,490	23,0	0,970	15,0	LR	RWS	5341 RWS	65,00	1020
50	5,6 x 57	5,6 / .224	RWS	VMS	3,00	46 Rottweil	R 902	2,400	37,0	2,200	34,0	LR	RWS	5341 RWS	65,00	1040
51	5,6 x 57	5,6 / .224	RWS	VMS	3,00	46 Rottweil	R 903	2,590	40,0	2,330	36,0	LR	RWS	5341 RWS	65,00	1150
52	5,6 x 57	5,6 / .224	RWS	TMS	4,10	63 Rottweil	R 907	2,590	40,0	2,460	28,0	LR	RWS	5341 RWS	68,50	1075
53	5,6 x 57	5,6 / .224	RWS	TMS	4,10	63 Rottweil	R 904	2,750	42,5	2,660	41,0	LR	RWS	5341 RWS	68,50	1100
54	5,6 x 57	5,6 / .224	RWS	TMS	4,10	63 Rottweil	R 905	2,850	44,0	2,790	43,0	LR	RWS	5341 RWS	68,50	1055
55	5,6 x 57	5,6 / .224	RWS	Kegelspit z	4,80	74 Rottweil	R 907	2,530	39,0	2,200	34,0	LR	RWS	5341 RWS	69,00	990
56	5,6 x 57	5,6 / .224	RWS	Kegelspit z	4,80	74 Rottweil	R 904	2,530	39,0	2,330	36,0	LR	RWS	5341 RWS	69,00	960
57	5,6 x 57	5,6 / .224	RWS	Kegelspit z	4,80	74 Rottweil	R 905	2,790	43,0	2,590	40,0	LR	RWS	5341 RWS	69,00	1020
58	.243 Win.	6 / .243	RWS	Kegelspit z	6,20	96 Rottweil	R 907	2,590	40,0	2,530	39,0	LR	RWS	5341 RWS	63,30	935
59	.243 Win.	6 / .243	RWS	Kegelspit z	6,20	96 Rottweil	R 904	2,850	44,0	2,590	40,0	LR	RWS	5341 RWS	63,30	955
60	.243 Win.	6 / .243	RWS	Kegelspit z	6,20	96 Rottweil	R 905	2,920	45,0	2,720	42,0	LR	RWS	5341 RWS	63,30	950
61	6,5 x 55 SE	6,5 / .264	RWS	Evolution Green	6,00	93 Rottweil	R 904	3,046	47,0	2,851	44,0	LRM	RWS	5333 RWS	80,00	914
62	6,5 x 55 SE	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 907	2,660	41,0	2,590	40,0	LR	RWS	5341 RWS	71,90	820
63	6,5 x 55 SE	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 904	2,920	45,0	2,790	43,0	LR	RWS	5341 RWS	71,90	830
64	6,5 x 55 SE	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 905	3,110	48,0	2,950	45,5	LR	RWS	5341 RWS	71,90	835
65	6,5 x 55 SE	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 907	2,660	41,0	2,530	39,0	LR	RWS	5341 RWS	73,00	805
66	6,5 x 55 SE	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 904	2,920	45,0	2,790	43,0	LR	RWS	5341 RWS	73,00	805
67	6,5 x 55 SE	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 905	3,010	46,5	2,850	44,0	LR	RWS	5341 RWS	73,00	800
68	6,5 x 55 SE	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 907	2,590	40,0	2,460	38,0	LR	RWS	5341 RWS	77,30	730
69	6,5 x 55 SE	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 904	2,850	44,0	2,590	40,0	LR	RWS	5341 RWS	77,30	750
70	6,5 x 55 SE	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 905	3,050	47,0	2,850	44,0	LR	RWS	5341 RWS	77,30	770
71	6,5 x 57	6,5 / .264	RWS	Evolution Green	6,00	93 Rottweil	R 904	3,175	49,0	2,981	46,0	LR	RWS	5341 RWS	80,00	939
72	6,5 x 57	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 907	2,820	43,5	2,590	40,0	LR	RWS	5341 RWS	72,90	830
73	6,5 x 57	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 904	3,050	47,0	2,790	43,0	LR	RWS	5341 RWS	72,90	865
74	6,5 x 57	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 905	3,310	51,0	3,050	47,0	LR	RWS	5341 RWS	72,90	865
75	6,5 x 57	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 907	2,780	43,0	2,660	41,0	LR	RWS	5341 RWS	75,00	815
76	6,5 x 57	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 904	3,110	48,0	2,920	45,0	LR	RWS	5341 RWS	75,00	820
77	6,5 x 57	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 905	3,180	49,0	3,050	47,0	LR	RWS	5341 RWS	75,00	825
78	6,5 x 57	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 907	2,790	43,0	2,590	40,0	LR	RWS	5341 RWS	78,80	760
79	6,5 x 57	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 905	2,980	46,0	2,790	43,0	LR	RWS	5341 RWS	78,80	745
80	6,5 x 57	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 904	3,110	48,0	2,980	46,0	LR	RWS	5341 RWS	78,80	755
81	6,5 x 57 R	6,5 / .264	RWS	Evolution Green	6,00	93 Rottweil	R 905	3,078	47,5	2,916	45,0	LR	RWS	5341 RWS	80,00	870
82	6,5 x 57 R	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 907	2,660	41,0	2,530	39,0	LR	RWS	5341 RWS	72,90	780
83	6,5 x 57 R	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 904	2,950	45,5	2,790	43,0	LR	RWS	5341 RWS	72,90	810
84	6,5 x 57 R	6,5 / .264	RWS	Kegelspit z	8,20	127 Rottweil	R 905	3,050	47,0	2,920	45,0	LR	RWS	5341 RWS	72,90	780

85	6,5 x 57 R	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 907	2,560 39,5	2,400 37,0	LR	RWS	5341 RWS	75,00	755
86	6,5 x 57 R	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 904	2,850 44,0	2,660 41,0	LR	RWS	5341 RWS	75,00	755
87	6,5 x 57 R	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 905	2,920 45,0	2,750 42,5	LR	RWS	5341 RWS	75,00	750
88	6,5 x 57 R	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 907	2,530 39,0	2,460 38,0	LR	RWS	5341 RWS	78,80	700
89	6,5 x 57 R	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 904	2,820 43,5	2,720 42,0	LR	RWS	5341 RWS	78,80	730
90	6,5 x 57 R	6,5 / .264	RWS	TMR	10,30	159 Rottweil	R 905	2,980 46,0	2,950 45,5	LR	RWS	5341 RWS	78,80	725
91	6,5 x 68	6,5 / .264	RWS	Evolution Green	6,00	93 Rottweil	R 904	4,342 67,0	4,147 64,0	LRM	RWS	5333 RWS	85,00	1073
92	6,5 x 68	6,5 / .264	RWS	Kegelspitze	8,20	127 Rottweil	R 907	3,600 55,5	3,430 53,0	LRM	RWS	5333 RWS	83,00	900
93	6,5 x 68	6,5 / .264	RWS	Kegelspitze	8,20	127 Rottweil	R 904	4,150 64,0	3,950 61,0	LRM	RWS	5333 RWS	83,00	940
94	6,5 x 68	6,5 / .264	RWS	Kegelspitze	8,20	127 Rottweil	R 905	4,410 68,0	4,150 64,0	LRM	RWS	5333 RWS	83,00	980
95	6,5 x 68	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 907	3,530 54,5	3,370 52,0	LRM	RWS	5333 RWS	84,00	900
96	6,5 x 68	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 904	3,990 61,5	3,860 59,5	LRM	RWS	5333 RWS	84,00	935
97	6,5 x 68	6,5 / .264	RWS	Doppelkern	9,10	140 Rottweil	R 905	4,110 63,5	3,990 61,5	LRM	RWS	5333 RWS	84,00	935
98	.270 Win.	.270 / .277	RWS	H-Mantel	8,40	130 Rottweil	R 907	3,240 50,0	3,180 49,0	LR	RWS	5341 RWS	81,20	900
99	.270 Win.	.270 / .277	RWS	H-Mantel	8,40	130 Rottweil	R 904	3,690 57,0	3,560 55,0	LR	RWS	5341 RWS	81,20	935
100	.270 Win.	.270 / .277	RWS	H-Mantel	8,40	130 Rottweil	R 905	3,920 60,5	3,820 59,0	LR	RWS	5341 RWS	81,20	935
101	.270 Win.	.270 / .277	RWS	Kegelspitze	9,70	150 Rottweil	R 907	3,080 47,5	2,980 46,0	LR	RWS	5341 RWS	81,20	830
102	.270 Win.	.270 / .277	RWS	Kegelspitze	9,70	150 Rottweil	R 904	3,370 52,0	3,240 50,0	LR	RWS	5341 RWS	81,20	880
103	.270 Win.	.270 / .277	RWS	Kegelspitze	9,70	150 Rottweil	R 905	3,470 53,5	3,370 52,0	LR	RWS	5341 RWS	81,20	860
104	7 x 57	7 / .284	RWS	Evolution	10,30	159 Rottweil	R 903	2,786 43,0	2,592 40,0	LR	RWS	5341 RWS	76,50	752
105	7 x 57	7 / .284	RWS	Evolution	10,30	159 Rottweil	R 907	2,786 43,0	2,592 40,0	LR	RWS	5341 RWS	76,50	748
106	7 x 57	7 / .284	RWS	Evolution Green	8,20	127 Rottweil	R 903	2,916 45,0	2,722 42,0	LR	RWS	5341 RWS	77,00	844
107	7 x 57	7 / .284	RWS	Evolution	10,30	159 Rottweil	R 904	3,078 47,5	2,884 44,5	LR	RWS	5341 RWS	76,50	783
108	7 x 57	7 / .284	RWS	Kegelspitze	8,00	123 Rottweil	R 902	2,790 43,0	2,590 40,0	LR	RWS	5341 RWS	72,00	870
109	7 x 57	7 / .284	RWS	Kegelspitze	8,00	123 Rottweil	R 903	3,050 47,0	2,920 45,0	LR	RWS	5341 RWS	72,00	890
110	7 x 57	7 / .284	RWS	Kegelspitze	8,00	123 Rottweil	R 907	3,180 49,0	3,050 47,0	LR	RWS	5341 RWS	72,00	880
111	7 x 57	7 / .284	RWS	TMR	9,00	139 Rottweil	R 902	2,750 42,5	2,590 40,0	LR	RWS	5341 RWS	72,00	800
112	7 x 57	7 / .284	RWS	TMR	9,00	139 Rottweil	R 903	2,850 44,0	2,720 42,0	LR	RWS	5341 RWS	72,00	800
113	7 x 57	7 / .284	RWS	TMR	9,00	139 Rottweil	R 907	3,050 47,0	2,920 45,0	LR	RWS	5341 RWS	72,00	800
114	7 x 57	7 / .284	RWS	Kegelspitze	10,50	162 Rottweil	R 903	2,660 41,0	2,530 39,0	LR	RWS	5341 RWS	76,00	765
115	7 x 57	7 / .284	RWS	Kegelspitze	10,50	162 Rottweil	R 907	2,920 45,0	2,790 43,0	LR	RWS	5341 RWS	76,00	790
116	7 x 57	7 / .284	RWS	Kegelspitze	10,50	162 Rottweil	R 904	3,180 49,0	3,050 47,0	LR	RWS	5341 RWS	76,00	790
117	7 x 57	7 / .284	RWS	ID Classic	10,50	162 Rottweil	R 903	2,720 42,0	2,590 40,0	LR	RWS	5341 RWS	75,00	780
118	7 x 57	7 / .284	RWS	ID Classic	10,50	162 Rottweil	R 907	2,950 45,5	2,850 44,0	LR	RWS	5341 RWS	75,00	790
119	7 x 57	7 / .284	RWS	ID Classic	10,50	162 Rottweil	R 904	3,180 49,0	3,050 47,0	LR	RWS	5341 RWS	75,00	800
120	7 x 57	7 / .284	RWS	H-Mantel	11,20	173 Rottweil	R 907	2,850 44,0	2,720 42,0	LR	RWS	5341 RWS	78,00	785
121	7 x 57	7 / .284	RWS	H-Mantel	11,20	173 Rottweil	R 904	3,110 48,0	2,980 46,0	LR	RWS	5341 RWS	78,00	780
122	7 x 57	7 / .284	RWS	H-Mantel	11,20	173 Rottweil	R 905	3,300 51,0	3,180 49,0	LR	RWS	5341 RWS	78,00	775
123	7 x 57	7 / .284	RWS	ID Classic	11,50	177 Rottweil	R 907	2,850 44,0	2,720 42,0	LR	RWS	5341 RWS	75,00	765
124	7 x 57	7 / .284	RWS	ID Classic	11,50	177 Rottweil	R 904	3,080 47,5	2,980 46,0	LR	RWS	5341 RWS	75,00	760
125	7 x 57	7 / .284	RWS	ID Classic	11,50	177 Rottweil	R 905	3,340 51,5	3,240 50,0	LR	RWS	5341 RWS	75,00	765
126	7 x 57 R	7 / .284	RWS	Evolution Green	8,20	127 Rottweil	R 904	3,078 47,5	2,884 44,5	LR	RWS	5341 RWS	77,00	804
127	7 x 57 R	7 / .284	RWS	Evolution	10,30	159 Rottweil	R 903	2,592 40,0	2,398 37,0	LR	RWS	5341 RWS	76,50	704
128	7 x 57 R	7 / .284	RWS	Evolution	10,30	159 Rottweil	R 907	2,722 42,0	2,527 39,0	LR	RWS	5341 RWS	76,50	726

129	7 x 57 R	7 / .284	RWS	Evolution	10,30	159	Rottweil	R 904	2,981	46,0	2,786	43,0	LR	RWS	5341 RWS	76,50	742
130	7 x 57 R	7 / .284	RWS	Kegelspit z	8,00	123	Rottweil	R 902	2,720	42,0	2,660	41,0	LR	RWS	5341 RWS	72,00	810
131	7 x 57 R	7 / .284	RWS	Kegelspit z	8,00	123	Rottweil	R 903	2,950	45,5	2,790	43,0	LR	RWS	5341 RWS	72,00	870
132	7 x 57 R	7 / .284	RWS	Kegelspit z	8,00	123	Rottweil	R 904	3,050	47,0	2,950	45,5	LR	RWS	5341 RWS	72,00	850
133	7 x 57 R	7 / .284	RWS	TMR	9,00	139	Rottweil	R 902	2,590	40,0	2,400	37,0	LR	RWS	5341 RWS	72,00	780
134	7 x 57 R	7 / .284	RWS	TMR	9,00	139	Rottweil	R 903	2,820	43,5	2,590	40,0	LR	RWS	5341 RWS	72,00	780
135	7 x 57 R	7 / .284	RWS	TMR	9,00	139	Rottweil	R 907	2,850	44,0	2,690	41,5	LR	RWS	5341 RWS	72,00	755
136	7 x 57 R	7 / .284	RWS	Kegelspit z	10,50	162	Rottweil	R 903	2,590	40,0	2,400	37,0	LR	RWS	5341 RWS	76,00	735
137	7 x 57 R	7 / .284	RWS	Kegelspit z	10,50	162	Rottweil	R 907	2,790	43,0	2,590	40,0	LR	RWS	5341 RWS	76,00	740
138	7 x 57 R	7 / .284	RWS	Kegelspit z	10,50	162	Rottweil	R 904	3,050	47,0	2,920	45,0	LR	RWS	5341 RWS	76,00	760
139	7 x 57 R	7 / .284	RWS	ID Classic	10,50	162	Rottweil	R 903	2,590	40,0	2,400	37,0	LR	RWS	5341 RWS	75,00	735
140	7 x 57 R	7 / .284	RWS	ID Classic	10,50	162	Rottweil	R 907	2,790	43,0	2,660	41,0	LR	RWS	5341 RWS	75,00	745
141	7 x 57 R	7 / .284	RWS	ID Classic	10,50	162	Rottweil	R 904	2,980	46,0	2,790	43,0	LR	RWS	5341 RWS	75,00	740
142	7 x 57 R	7 / .284	RWS	H-Mantel	11,20	173	Rottweil	R 907	2,750	42,5	2,620	40,5	LR	RWS	5341 RWS	78,00	730
143	7 x 57 R	7 / .284	RWS	H-Mantel	11,20	173	Rottweil	R 904	2,920	45,0	2,750	42,5	LR	RWS	5341 RWS	78,00	715
144	7 x 57 R	7 / .284	RWS	H-Mantel	11,20	173	Rottweil	R 905	3,140	48,5	3,010	46,5	LR	RWS	5341 RWS	78,00	745
145	7 x 57 R	7 / .284	RWS	TMR	11,20	173	Rottweil	R 907	2,590	40,0	2,460	38,0	LR	RWS	5341 RWS	75,00	690
146	7 x 57 R	7 / .284	RWS	TMR	11,20	173	Rottweil	R 904	2,920	45,0	2,750	42,5	LR	RWS	5341 RWS	75,00	715
147	7 x 57 R	7 / .284	RWS	TMR	11,20	173	Rottweil	R 905	3,140	48,5	3,050	47,0	LR	RWS	5341 RWS	75,00	720
148	7 x 57 R	7 / .284	RWS	ID Classic	11,50	177	Rottweil	R 903	2,460	38,0	2,330	36,0	LR	RWS	5341 RWS	75,00	690
149	7 x 57 R	7 / .284	RWS	ID Classic	11,50	177	Rottweil	R 907	2,720	42,0	2,590	40,0	LR	RWS	5341 RWS	75,00	720
150	7 x 57 R	7 / .284	RWS	ID Classic	11,50	177	Rottweil	R 905	3,110	48,0	2,980	46,0	LR	RWS	5341 RWS	75,00	725
151	7 x 64	7 / .284	RWS	Evolution	10,30	159	Rottweil	R 907	3,110	48,0	2,916	45,0	LRM	RWS	5333 RWS	82,50	808
152	7 x 64	7 / .284	RWS	Evolution	10,30	159	Rottweil	R 904	3,370	52,0	3,175	49,0	LRM	RWS	5333 RWS	82,50	836
153	7 x 64	7 / .284	RWS	Evolution	10,30	159	Rottweil	R 905	3,499	54,0	3,305	51,0	LRM	RWS	5333 RWS	82,50	820
154	7 x 64	7 / .284	RWS	Evolution Green	8,20	127	Rottweil	R 905	3,726	57,5	3,564	55,0	LRM	RWS	5333 RWS	83,50	873
155	7 x 64	7 / .284	RWS	Kegelspit z	8,00	123	Rottweil	R 903	3,400	52,5	3,240	50,0	LR	RWS	5341 RWS	80,40	950
156	7 x 64	7 / .284	RWS	Kegelspit z	8,00	123	Rottweil	R 907	3,430	53,0	3,370	52,0	LR	RWS	5341 RWS	80,40	940
157	7 x 64	7 / .284	RWS	Kegelspit z	8,00	123	Rottweil	R 904	3,860	59,5	3,690	57,0	LR	RWS	5341 RWS	80,40	975
158	7 x 64	7 / .284	RWS	TMR	9,00	139	Rottweil	R 907	3,240	50,0	3,110	48,0	LRM	RWS	5333 RWS	79,10	860
159	7 x 64	7 / .284	RWS	TMR	9,00	139	Rottweil	R 904	3,500	54,0	3,370	52,0	LRM	RWS	5333 RWS	79,10	880
160	7 x 64	7 / .284	RWS	TMR	9,00	139	Rottweil	R 905	3,820	59,0	3,690	57,0	LRM	RWS	5333 RWS	79,10	890
161	7 x 64	7 / .284	RWS	Kegelspit z	10,50	162	Rottweil	R 907	3,180	49,0	3,050	47,0	LRM	RWS	5333 RWS	82,70	800
162	7 x 64	7 / .284	RWS	Kegelspit z	10,50	162	Rottweil	R 904	3,500	54,0	3,310	51,0	LRM	RWS	5333 RWS	82,70	845
163	7 x 64	7 / .284	RWS	Kegelspit z	10,50	162	Rottweil	R 905	3,760	58,0	3,560	55,0	LRM	RWS	5333 RWS	82,70	850
164	7 x 64	7 / .284	RWS	ID Classic	10,50	162	Rottweil	R 907	3,240	50,0	3,110	48,0	LRM	RWS	5333 RWS	81,00	830
165	7 x 64	7 / .284	RWS	ID Classic	10,50	162	Rottweil	R 904	3,500	54,0	3,310	51,0	LRM	RWS	5333 RWS	81,00	845
166	7 x 64	7 / .284	RWS	ID Classic	10,50	162	Rottweil	R 905	3,760	58,0	3,560	55,0	LRM	RWS	5333 RWS	81,00	850
167	7 x 64	7 / .284	RWS	H-Mantel	11,20	173	Rottweil	R 907	3,140	48,5	2,980	46,0	LRM	RWS	5333 RWS	83,20	780
168	7 x 64	7 / .284	RWS	H-Mantel	11,20	173	Rottweil	R 904	3,310	51,0	3,180	49,0	LRM	RWS	5333 RWS	83,20	815
169	7 x 64	7 / .284	RWS	H-Mantel	11,20	173	Rottweil	R 905	3,630	56,0	3,500	54,0	LRM	RWS	5333 RWS	83,20	830
170	7 x 64	7 / .284	RWS	TMR	11,20	173	Rottweil	R 907	3,110	48,0	3,050	47,0	LRM	RWS	5333 RWS	82,50	785
171	7 x 64	7 / .284	RWS	TMR	11,20	173	Rottweil	R 904	3,430	53,0	3,240	50,0	LRM	RWS	5333 RWS	82,50	795
172	7 x 64	7 / .284	RWS	TMR	11,20	173	Rottweil	R 905	3,530	54,5	3,370	52,0	LRM	RWS	5333 RWS	82,50	805
173	7 x 64	7 / .284	RWS	ID Classic	11,50	177	Rottweil	R 907	3,180	49,0	3,050	47,0	LRM	RWS	5333 RWS	81,70	785
174	7 x 64	7 / .284	RWS	ID Classic	11,50	177	Rottweil	R 904	3,310	51,0	3,240	50,0	LRM	RWS	5333 RWS	81,70	815
175	7 x 64	7 / .284	RWS	ID Classic	11,50	177	Rottweil	R 905	3,630	56,0	3,500	54,0	LRM	RWS	5333 RWS	81,70	825
176	7 x 64	7 / .284	RWS	Speed Tip Professional	9,70	150	Rottweil	R 904	3,434	53,0	3,240	50,0	LRM	RWS	5333 RWS	83,00	837

177	7 x 64	7 / .284	RWS	Speed Tip Professi onal	9,70	150 Rottweil R 905	3,629 56,0	3,434 53,0	LRM	RWS	5333 RWS	83,00	817
178	7 x 65 R	7 / .284	RWS	Evolution	10,30	159 Rottweil R 907	3,110 48,0	2,916 45,0	LR	RWS	5341 RWS	83,00	786
179	7 x 65 R	7 / .284	RWS	Evolution	10,30	159 Rottweil R 904	3,305 51,0	3,110 48,0	LR	RWS	5341 RWS	83,00	795
180	7 x 65 R	7 / .284	RWS	Evolution	10,30	159 Rottweil R 905	3,499 54,0	3,305 51,0	LRM	RWS	5333 RWS	83,00	806
181	7 x 65 R	7 / .284	RWS	Evolution Green	8,20	127 Rottweil R 905	3,661 56,5	3,499 54,0	LR	RWS	5341 RWS	83,60	846
182	7 x 65 R	7 / .284	RWS	Kegelspit z	8,00	123 Rottweil R 903	3,370 52,0	3,310 51,0	LR	RWS	5341 RWS	80,90	915
183	7 x 65 R	7 / .284	RWS	Kegelspit z	8,00	123 Rottweil R 907	3,430 53,0	3,310 51,0	LR	RWS	5341 RWS	80,90	930
184	7 x 65 R	7 / .284	RWS	Kegelspit z	8,00	123 Rottweil R 904	3,690 57,0	3,500 54,0	LR	RWS	5341 RWS	80,90	930
185	7 x 65 R	7 / .284	RWS	TMR	9,00	139 Rottweil R 907	3,180 49,0	2,920 45,0	LR	RWS	5341 RWS	80,10	820
186	7 x 65 R	7 / .284	RWS	TMR	9,00	139 Rottweil R 904	3,470 53,5	3,370 52,0	LR	RWS	5341 RWS	80,10	820
187	7 x 65 R	7 / .284	RWS	TMR	9,00	139 Rottweil R 905	3,630 56,0	3,500 54,0	LRM	RWS	5333 RWS	80,10	830
188	7 x 65 R	7 / .284	RWS	Kegelspit z	10,50	162 Rottweil R 907	3,110 48,0	2,920 45,0	LR	RWS	5341 RWS	82,00	780
189	7 x 65 R	7 / .284	RWS	Kegelspit z	10,50	162 Rottweil R 904	3,370 52,0	3,210 49,5	LR	RWS	5341 RWS	82,00	790
190	7 x 65 R	7 / .284	RWS	Kegelspit z	10,50	162 Rottweil R 905	3,470 53,5	3,240 50,0	LRM	RWS	5333 RWS	82,00	800
191	7 x 65 R	7 / .284	RWS	ID Classic	10,50	162 Rottweil R 907	3,140 48,5	2,980 46,0	LR	RWS	5341 RWS	82,80	795
192	7 x 65 R	7 / .284	RWS	ID Classic	10,50	162 Rottweil R 904	3,340 51,5	3,180 49,0	LR	RWS	5341 RWS	82,80	800
193	7 x 65 R	7 / .284	RWS	ID Classic	10,50	162 Rottweil R 905	3,470 53,5	3,240 50,0	LRM	RWS	5333 RWS	82,80	805
194	7 x 65 R	7 / .284	RWS	H-Mantel	11,20	173 Rottweil R 907	3,110 48,0	2,920 45,0	LR	RWS	5341 RWS	83,40	785
195	7 x 65 R	7 / .284	RWS	H-Mantel	11,20	173 Rottweil R 904	3,370 52,0	3,050 47,0	LR	RWS	5341 RWS	83,40	800
196	7 x 65 R	7 / .284	RWS	H-Mantel	11,20	173 Rottweil R 905	3,470 53,5	3,240 50,0	LRM	RWS	5333 RWS	83,40	790
197	7 x 65 R	7 / .284	RWS	TMR	11,20	173 Rottweil R 907	3,080 47,5	2,920 45,0	LR	RWS	5341 RWS	82,50	775
198	7 x 65 R	7 / .284	RWS	TMR	11,20	173 Rottweil R 904	3,310 51,0	3,050 47,0	LR	RWS	5341 RWS	82,50	790
199	7 x 65 R	7 / .284	RWS	TMR	11,20	173 Rottweil R 905	3,430 53,0	3,240 50,0	LRM	RWS	5333 RWS	82,50	790
200	7 x 65 R	7 / .284	RWS	ID Classic	11,50	177 Rottweil R 907	3,140 48,5	2,920 45,0	LR	RWS	5341 RWS	81,70	760
201	7 x 65 R	7 / .284	RWS	ID Classic	11,50	177 Rottweil R 904	3,210 49,5	2,980 46,0	LR	RWS	5341 RWS	81,70	755
202	7 x 65 R	7 / .284	RWS	ID Classic	11,50	177 Rottweil R 905	3,400 52,5	3,180 49,0	LRM	RWS	5333 RWS	81,70	795
203	7 x 65 R	7 / .284	RWS	Speed Tip Professi onal	9,70	150 Rottweil R 904	3,370 52,0	3,175 49,0	LRM	RWS	5333 RWS	84,00	801
204	7mm Rem. Mag.	7 / .284	RWS	Evolution Green	8,20	127 Rottweil R 904	3,758 58,0	3,564 55,0	LRM	RWS	5333 RWS	83,50	933
205	7mm Rem. Mag.	7 / .284	RWS	Evolution	10,30	159 Rottweil R 907	3,629 56,0	3,434 53,0	LRM	RWS	5333 RWS	82,50	858
206	7mm Rem. Mag.	7 / .284	RWS	Evolution	10,30	159 Rottweil R 904	3,888 60,0	3,694 57,0	LRM	RWS	5333 RWS	82,50	870
207	7mm Rem. Mag.	7 / .284	RWS	Evolution	10,30	159 Rottweil R 905	4,082 63,0	3,888 60,0	LRM	RWS	5333 RWS	82,50	873
208	7mm Rem. Mag.	7 / .284	RWS	Kegelspit z	8,00	123 Rottweil R 907	4,000 62,0	3,890 60,0	LRM	RWS	5333 RWS	78,00	980
209	7mm Rem. Mag.	7 / .284	RWS	Kegelspit z	8,00	123 Rottweil R 904	4,340 67,0	4,180 64,5	LRM	RWS	5333 RWS	78,00	1000
210	7mm Rem. Mag.	7 / .284	RWS	Kegelspit z	8,00	123 Rottweil R 905	4,600 71,0	4,440 68,5	LRM	RWS	5333 RWS	78,00	1020
211	7mm Rem. Mag.	7 / .284	RWS	Kegelspit z	10,50	162 Rottweil R 907	3,730 57,5	3,630 56,0	LRM	RWS	5333 RWS	77,50	865
212	7mm Rem. Mag.	7 / .284	RWS	Kegelspit z	10,50	162 Rottweil R 904	3,950 61,0	3,730 57,5	LRM	RWS	5333 RWS	77,50	870
213	7mm Rem. Mag.	7 / .284	RWS	Kegelspit z	10,50	162 Rottweil R 905	4,280 66,0	4,150 64,0	LRM	RWS	5333 RWS	77,50	920
214	7mm Rem. Mag.	7 / .284	RWS	ID Classic	10,50	162 Rottweil R 907	3,790 58,5	3,630 56,0	LRM	RWS	5333 RWS	79,00	880

215	7mm Rem. Mag.	7 / .284	RWS	ID Classic	10,50	162 Rottweil	R 904	4,050 62,5	3,860 59,5	LRM	RWS	5333 RWS	79,00	880
216	7mm Rem. Mag.	7 / .284	RWS	ID Classic	10,50	162 Rottweil	R 905	4,240 65,5	4,150 64,0	LRM	RWS	5333 RWS	79,00	915
217	7mm Rem. Mag.	7 / .284	RWS	H-Mantel	11,20	173 Rottweil	R 907	3,630 56,0	3,430 43,0	LRM	RWS	5333 RWS	81,00	850
218	7mm Rem. Mag.	7 / .284	RWS	H-Mantel	11,20	173 Rottweil	R 904	3,890 60,0	3,760 58,0	LRM	RWS	5333 RWS	81,00	850
219	7mm Rem. Mag.	7 / .284	RWS	H-Mantel	11,20	173 Rottweil	R 905	4,340 67,0	4,150 64,0	LRM	RWS	5333 RWS	81,00	890
220	7mm Rem. Mag.	7 / .284	RWS	ID Classic	11,50	177 Rottweil	R 907	3,690 57,0	3,560 55,0	LRM	RWS	5333 RWS	78,00	850
221	7mm Rem. Mag.	7 / .284	RWS	ID Classic	11,50	177 Rottweil	R 904	3,920 60,5	3,790 58,5	LRM	RWS	5333 RWS	78,00	850
222	7mm Rem. Mag.	7 / .284	RWS	ID Classic	11,50	177 Rottweil	R 905	4,150 64,0	3,990 61,5	LRM	RWS	5333 RWS	78,00	875
223	7,5 x 55	.30 (.307-308)	RWS	Kegelspit z	9,70	150 Rottweil	R 903	3,110 48,0	2,980 46,0	LR	RWS	5341 RWS	70,20	845
224	7,5 x 55	.30 (.307-308)	RWS	Kegelspit z	9,70	150 Rottweil	R 907	3,240 50,0	3,110 48,0	LR	RWS	5341 RWS	70,20	855
225	7,5 x 55	.30 (.307-308)	RWS	Kegelspit z	9,70	150 Rottweil	R 904	3,560 55,0	3,430 53,0	LR	RWS	5341 RWS	70,20	870
226	7,5 x 55	.30 (.307-308)	RWS	H-Mantel	11,70	181 Rottweil	R 903	2,980 46,0	2,850 44,0	LR	RWS	5341 RWS	74,70	770
227	7,5 x 55	.30 (.307-308)	RWS	H-Mantel	11,70	181 Rottweil	R 907	3,110 48,0	2,980 46,0	LR	RWS	5341 RWS	74,70	775
228	7,5 x 55	.30 (.307-308)	RWS	H-Mantel	11,70	181 Rottweil	R 904	3,370 52,0	3,240 50,0	LR	RWS	5341 RWS	74,70	800
229	.308 Win.	7,62 / .308	RWS	Evolution Green	8,80	136 Rottweil	R 902	2,916 45,0	2,722 42,0	LR	RWS	5341 RWS	71,12	877
230	.308 Win.	7,62 / .308	RWS	Evolution	11,90	184 Rottweil	R 902	2,754 42,5	2,592 40,0	LR	RWS	5341 RWS	71,00	774
231	.308 Win.	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 902	2,850 44,0	2,590 40,0	LR	RWS	5341 RWS	68,50	840
232	.308 Win.	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 903	2,980 46,0	2,720 42,0	LR	RWS	5341 RWS	68,50	850
233	.308 Win.	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 907	3,110 48,0	2,920 45,0	LR	RWS	5341 RWS	68,50	850
234	.308 Win.	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 902	2,920 45,0	2,750 42,5	LR	RWS	5341 RWS	66,10	870
235	.308 Win.	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 903	3,140 48,5	3,010 46,5	LR	RWS	5341 RWS	66,10	865
236	.308 Win.	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 907	3,180 49,0	3,050 47,0	LR	RWS	5341 RWS	66,10	865
237	.308 Win.	7,62 / .308	RWS	Kegelspit z	10,70	165 Rottweil	R 902	2,790 43,0	2,590 40,0	LR	RWS	5341 RWS	69,30	810
238	.308 Win.	7,62 / .308	RWS	Kegelspit z	10,70	165 Rottweil	R 903	3,010 46,5	2,790 43,0	LR	RWS	5341 RWS	69,30	825
239	.308 Win.	7,62 / .308	RWS	Kegelspit z	10,70	165 Rottweil	R 907	3,050 47,0	2,920 45,0	LR	RWS	5341 RWS	69,30	820
240	.308 Win.	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 902	2,790 43,0	2,660 41,0	LR	RWS	5341 RWS	68,80	810
241	.308 Win.	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 903	3,050 47,0	2,920 45,0	LR	RWS	5341 RWS	68,80	815
242	.308 Win.	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 907	3,080 47,5	2,920 45,0	LR	RWS	5341 RWS	68,80	820
243	.308 Win.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 902	2,530 39,0	2,330 36,0	LR	RWS	5341 RWS	69,90	750
244	.308 Win.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 903	2,790 43,0	2,530 39,0	LR	RWS	5341 RWS	69,90	770
245	.308 Win.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 907	2,950 45,5	2,720 42,0	LR	RWS	5341 RWS	69,90	770
246	.308 Win.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 902	2,500 38,5	2,330 36,0	LR	RWS	5341 RWS	66,60	740
247	.308 Win.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 903	2,790 43,0	2,590 40,0	LR	RWS	5341 RWS	66,60	770
248	.308 Win.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 907	2,950 45,5	2,720 42,0	LR	RWS	5341 RWS	66,60	770
249	.308 Win.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 902	2,560 39,5	2,430 37,5	LR	RWS	5341 RWS	69,00	710
250	.308 Win.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 903	2,790 43,0	2,590 40,0	LR	RWS	5341 RWS	69,00	710
251	.308 Win.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 907	2,850 44,0	2,720 42,0	LR	RWS	5341 RWS	69,00	710
252	.308 Win.	7,62 / .308	RWS	Speed Tip Professional	10,70	165 Rottweil	R 903	3,046 47,0	2,916 45,0	LR	RWS	5341 RWS	70,00	822

253	.308 Win.	7,62 / .308	RWS	Evolution 9,00 Green	139 Rottweil R 902	2,786 43,0	2,592 40,0	LR	RWS	5341 RWS	70,00	864
254	.30-06 Sprg.	7,62 / .308	RWS	Evolution 8,80 Green	136 Rottweil R 907	3,499 54,0	3,305 51,0	LR	RWS	5341 RWS	83,20	894
255	.30-06 Sprg.	7,62 / .308	RWS	Evolution 11,90	184 Rottweil R 903	3,370 52,0	3,175 49,0	LR	RWS	5341 RWS	81,50	807
256	.30-06 Sprg.	7,62 / .308	RWS	Evolution 11,90	184 Rottweil R 907	3,337 51,5	3,175 49,0	LR	RWS	5341 RWS	81,50	789
257	.30-06 Sprg.	7,62 / .308	RWS	Evolution 11,90	184 Rottweil R 905	3,823 59,0	3,629 56,0	LR	RWS	5341 RWS	81,50	801
258	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 9,70 z	150 Rottweil R 903	3,530 54,5	3,240 50,0	LR	RWS	5341 RWS	78,00	910
259	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 9,70 z	150 Rottweil R 907	3,630 56,0	3,430 53,0	LR	RWS	5341 RWS	78,00	890
260	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 9,70 z	150 Rottweil R 904	3,950 61,0	3,820 59,0	LR	RWS	5341 RWS	78,00	910
261	.30-06 Sprg.	7,62 / .308	RWS	ID Classic 9,70	150 Rottweil R 903	3,560 55,0	3,400 52,5	LR	RWS	5341 RWS	77,50	920
262	.30-06 Sprg.	7,62 / .308	RWS	ID Classic 9,70	150 Rottweil R 907	3,630 56,0	3,430 53,0	LR	RWS	5341 RWS	77,50	910
263	.30-06 Sprg.	7,62 / .308	RWS	ID Classic 9,70	150 Rottweil R 905	4,280 66,0	4,080 63,0	LR	RWS	5341 RWS	77,50	910
264	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 903	3,400 52,5	3,270 50,5	LR	RWS	5341 RWS	78,80	850
265	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 904	3,690 57,0	3,560 55,0	LR	RWS	5341 RWS	78,80	840
266	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 905	4,050 62,5	3,890 60,0	LR	RWS	5341 RWS	78,80	870
267	.30-06 Sprg.	7,62 / .308	RWS	Doppelk ern 10,70	165 Rottweil R 903	3,400 52,5	3,270 50,5	LR	RWS	5341 RWS	78,30	845
268	.30-06 Sprg.	7,62 / .308	RWS	Doppelk ern 10,70	165 Rottweil R 904	3,730 57,5	3,560 55,0	LR	RWS	5341 RWS	78,30	855
269	.30-06 Sprg.	7,62 / .308	RWS	Doppelk ern 10,70	165 Rottweil R 905	4,020 62,0	3,920 60,5	LR	RWS	5341 RWS	78,30	845
270	.30-06 Sprg.	7,62 / .308	RWS	H-Mantel 11,70	181 Rottweil R 903	3,270 50,5	3,010 46,5	LR	RWS	5341 RWS	82,00	810
271	.30-06 Sprg.	7,62 / .308	RWS	H-Mantel 11,70	181 Rottweil R 904	3,690 57,0	3,340 51,5	LR	RWS	5341 RWS	82,00	820
272	.30-06 Sprg.	7,62 / .308	RWS	H-Mantel 11,70	181 Rottweil R 905	3,990 61,5	3,890 60,0	LR	RWS	5341 RWS	82,00	830
273	.30-06 Sprg.	7,62 / .308	RWS	Uni Classic 11,70	181 Rottweil R 903	3,240 50,0	3,050 47,0	LR	RWS	5341 RWS	78,00	830
274	.30-06 Sprg.	7,62 / .308	RWS	Uni Classic 11,70	181 Rottweil R 907	3,430 53,0	3,340 51,5	LR	RWS	5341 RWS	78,00	825
275	.30-06 Sprg.	7,62 / .308	RWS	Uni Classic 11,70	181 Rottweil R 905	3,920 60,5	3,820 59,0	LR	RWS	5341 RWS	78,00	830
276	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 13,00 z	201 Rottweil R 903	3,050 47,0	2,920 45,0	LR	RWS	5341 RWS	79,00	745
277	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 13,00 z	201 Rottweil R 907	3,180 49,0	3,050 47,0	LR	RWS	5341 RWS	79,00	755
278	.30-06 Sprg.	7,62 / .308	RWS	Kegelspit 13,00 z	201 Rottweil R 904	3,430 53,0	3,240 50,0	LR	RWS	5341 RWS	79,00	775
279	.30-06 Sprg.	7,62 / .308	RWS	Speed Tip Professional 10,70	165 Rottweil R 904	3,791 58,5	3,629 56,0	LR	RWS	5341 RWS	82,00	857
280	.30-06 Sprg.	7,62 / .308	RWS	Evolution 9,00 Green	139 Rottweil R 903	3,629 56,0	3,434 53,0	LR	RWS	5341 RWS	81,50	908
281	.30 R Blaser	7,62 / .308	RWS	Evolution 11,90	184 Rottweil R 907	3,694 57,0	3,499 54,0	LR	RWS	5341 RWS	86,50	814
282	.30 R Blaser	7,62 / .308	RWS	Evolution 11,90	184 Rottweil R 904	3,985 61,5	3,758 58,0	LR	RWS	5341 RWS	86,50	832
283	.30 R Blaser	7,62 / .308	RWS	Evolution 11,90	184 Rottweil R 905	4,244 65,5	4,018 62,0	LR	RWS	5341 RWS	86,50	826
284	.30 R Blaser	7,62 / .308	RWS	Evolution 8,80 Green	136 Rottweil R 905	4,568 70,5	4,406 68,0	LRM	RWS	5333 RWS	88,00	905
285	.30 R Blaser	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 905	4,277 66,0	4,082 63,0	LRM	RWS	5333 RWS	86,50	837
286	.30 R Blaser	7,62 / .308	RWS	Kegelspit 9,70 z	150 Rottweil R 907	3,900 60,2	3,750 57,9	LR	RWS	5341 RWS	84,00	930
287	.30 R Blaser	7,62 / .308	RWS	Kegelspit 9,70 z	150 Rottweil R 904	4,200 64,8	4,000 61,7	LR	RWS	5341 RWS	84,00	935
288	.30 R Blaser	7,62 / .308	RWS	Kegelspit 9,70 z	150 Rottweil R 905	4,400 67,9	4,200 64,8	LR	RWS	5341 RWS	84,00	945
289	.30 R Blaser	7,62 / .308	RWS	ID Classic 9,70	150 Rottweil R 907	3,950 61,0	3,750 57,9	LR	RWS	5341 RWS	86,50	930
290	.30 R Blaser	7,62 / .308	RWS	ID Classic 9,70	150 Rottweil R 904	4,250 65,6	4,000 61,7	LR	RWS	5341 RWS	86,50	935
291	.30 R Blaser	7,62 / .308	RWS	ID Classic 9,70	150 Rottweil R 905	4,450 68,7	4,200 64,8	LR	RWS	5341 RWS	86,50	940
292	.30 R Blaser	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 907	3,800 58,6	3,550 54,8	LR	RWS	5341 RWS	86,00	900
293	.30 R Blaser	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 904	4,100 63,3	3,900 60,2	LR	RWS	5341 RWS	86,00	900
294	.30 R Blaser	7,62 / .308	RWS	Kegelspit 10,70 z	165 Rottweil R 905	4,300 66,4	4,150 64,0	LR	RWS	5341 RWS	86,00	900

295	.30 R Blaser	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 907	3,900 60,2	3,750 57,9	LR	RWS	5341 RWS	85,50	900
296	.30 R Blaser	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 904	4,150 64,0	4,050 62,5	LR	RWS	5341 RWS	85,50	900
297	.30 R Blaser	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 905	4,350 67,1	4,250 65,6	LR	RWS	5341 RWS	85,50	900
298	.30 R Blaser	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 907	3,800 58,6	3,700 57,1	LR	RWS	5341 RWS	90,50	845
299	.30 R Blaser	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 904	4,000 61,7	3,800 58,6	LR	RWS	5341 RWS	90,50	850
300	.30 R Blaser	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 905	4,200 64,8	4,100 63,3	LR	RWS	5341 RWS	90,50	860
301	.30 R Blaser	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 907	3,650 56,3	3,500 54,0	LR	RWS	5341 RWS	86,00	850
302	.30 R Blaser	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 904	3,900 60,2	3,650 56,3	LR	RWS	5341 RWS	86,00	855
303	.30 R Blaser	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 905	4,150 64,0	4,000 61,7	LR	RWS	5341 RWS	86,00	860
304	.30 R Blaser	7,62 / .308	RWS	Kegelspitze	13,00	201 Rottweil	R 907	3,600 55,6	3,500 54,0	LR	RWS	5341 RWS	84,00	800
305	.30 R Blaser	7,62 / .308	RWS	Kegelspitze	13,00	201 Rottweil	R 904	3,800 58,6	3,700 57,1	LR	RWS	5341 RWS	84,00	810
306	.30 R Blaser	7,62 / .308	RWS	Kegelspitze	13,00	201 Rottweil	R 905	4,000 61,7	3,900 60,2	LR	RWS	5341 RWS	84,00	830
307	.300 Win. Mag.	7,62 / .308	RWS	Evolution Green	8,80	136 Rottweil	R 904	4,860 75,0	4,666 72,0	LRM	RWS	5333 RWS	84,00	992
308	.300 Win. Mag.	7,62 / .308	RWS	Evolution	11,90	184 Rottweil	R 907	4,147 64,0	3,953 61,0	LRM	RWS	5333 RWS	84,50	857
309	.300 Win. Mag.	7,62 / .308	RWS	Evolution	11,90	184 Rottweil	R 904	4,471 69,0	4,277 66,0	LRM	RWS	5333 RWS	84,50	876
310	.300 Win. Mag.	7,62 / .308	RWS	Evolution	11,90	184 Rottweil	R 905	4,601 71,0	4,406 68,0	LRM	RWS	5333 RWS	84,50	872
311	.300 Win. Mag.	7,62 / .308	RWS	Speed Tip Professional	10,70	165 Rottweil	R 905	5,022 77,5	4,860 75,0	LRM	RWS	5333 RWS	84,00	920
312	.300 Win. Mag.	7,62 / .308	RWS	Kegelspitze	9,70	150 Rottweil	R 907	4,670 72,0	4,540 70,0	LRM	RWS	5333 RWS	82,00	1020
313	.300 Win. Mag.	7,62 / .308	RWS	Kegelspitze	9,70	150 Rottweil	R 904	4,990 77,0	4,800 74,0	LRM	RWS	5333 RWS	82,00	1010
314	.300 Win. Mag.	7,62 / .308	RWS	Kegelspitze	9,70	150 Rottweil	R 905	5,250 81,0	5,060 78,0	LRM	RWS	5333 RWS	82,00	1030
315	.300 Win. Mag.	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 907	4,670 72,0	4,410 68,0	LRM	RWS	5333 RWS	83,50	1040
316	.300 Win. Mag.	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 904	4,990 77,0	4,800 74,0	LRM	RWS	5333 RWS	83,50	1020
317	.300 Win. Mag.	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 905	5,310 82,0	5,120 79,0	LRM	RWS	5333 RWS	83,50	1035
318	.300 Win. Mag.	7,62 / .308	RWS	Kegelspitze	10,70	165 Rottweil	R 907	4,470 69,0	4,210 65,0	LRM	RWS	5333 RWS	84,50	970
319	.300 Win. Mag.	7,62 / .308	RWS	Kegelspitze	10,70	165 Rottweil	R 904	4,800 74,0	4,540 70,0	LRM	RWS	5333 RWS	84,50	970
320	.300 Win. Mag.	7,62 / .308	RWS	Kegelspitze	10,70	165 Rottweil	R 905	5,060 78,0	4,860 75,0	LRM	RWS	5333 RWS	84,50	980
321	.300 Win. Mag.	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 907	4,470 69,0	4,340 67,0	LRM	RWS	5333 RWS	84,00	960
322	.300 Win. Mag.	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 904	4,800 74,0	4,600 71,0	LRM	RWS	5333 RWS	84,00	970
323	.300 Win. Mag.	7,62 / .308	RWS	Doppelkern	10,70	165 Rottweil	R 905	5,000 78,0	4,860 75,0	LRM	RWS	5333 RWS	84,00	985
324	.300 Win. Mag.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 907	4,370 67,5	4,210 65,0	LRM	RWS	5333 RWS	85,30	920
325	.300 Win. Mag.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 904	4,700 72,5	4,540 70,0	LRM	RWS	5333 RWS	85,30	925
326	.300 Win. Mag.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 905	4,920 76,0	4,730 73,0	LRM	RWS	5333 RWS	85,30	930

327	.300 Win. Mag.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 907	4,280 66,0	4,150 64,0	LRM	RWS	5333 RWS	83,00	910
328	.300 Win. Mag.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 904	4,670 72,0	4,540 70,0	LRM	RWS	5333 RWS	83,00	935
329	.300 Win. Mag.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 905	4,860 75,0	4,670 72,0	LRM	RWS	5333 RWS	83,00	935
330	.300 Win. Mag.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 907	4,150 64,0	3,890 60,0	LRM	RWS	5333 RWS	84,50	840
331	.300 Win. Mag.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 904	4,340 67,0	4,150 64,0	LRM	RWS	5333 RWS	84,50	870
332	.300 Win. Mag.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 905	4,600 71,0	4,340 67,0	LRM	RWS	5333 RWS	84,50	900
333	.300 WSM	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 904	4,277 66,0	4,082 63,0	LR	RWS	5341 Norma	70,80	952
334	.300 WSM	7,62 / .308	RWS	ID Classic	9,70	150 Rottweil	R 905	4,406 68,0	4,212 65,0	LR	RWS	5341 Norma	71,40	961
335	.300 WSM	7,62 / .308	RWS	Evolution Green	8,80	136 Rottweil	R 904	4,342 67,0	4,147 64,0	LR	RWS	5341 Norma	72,50	975
336	.300 H&H Mag.	7,62 / .308	RWS	Evolution Green	8,80	136 Rottweil	R 907	4,212 65,0	4,018 62,0	LRM	RWS	5333 Norma	90,00	965
337	.300 Weather by Mag.	7,62 / .308	RWS	Evolution Green	8,80	136 Rottweil	R 905	5,573 86,0	5,378 83,0	LRM	RWS	5333 Norma	90,00	996
338	.300 Weather by Mag.	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 903	4,670 72,0	4,410 68,0	LRM	RWS	5333 Weather by	89,10	1125
339	.300 Weather by Mag.	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 904	5,120 79,0	4,860 75,0	LRM	RWS	5333 Weather by	89,10	1010
340	.300 Weather by Mag.	7,62 / .308	RWS	Kegelspit z	9,70	150 Rottweil	R 905	5,440 84,0	5,310 82,0	LRM	RWS	5333 Weather by	89,10	1030
341	.300 Weather by Mag.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 907	4,600 71,0	4,340 67,0	LRM	RWS	5333 Weather by	90,30	935
342	.300 Weather by Mag.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 904	4,930 76,0	4,670 72,0	LRM	RWS	5333 Weather by	90,30	955
343	.300 Weather by Mag.	7,62 / .308	RWS	H-Mantel	11,70	181 Rottweil	R 905	5,180 80,0	5,060 78,0	LRM	RWS	5333 Weather by	90,30	950
344	.300 Weather by Mag.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 907	4,600 71,0	4,340 67,0	LRM	RWS	5333 Weather by	89,50	930
345	.300 Weather by Mag.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 904	4,930 76,0	4,670 72,0	LRM	RWS	5333 Weather by	89,50	955
346	.300 Weather by Mag.	7,62 / .308	RWS	Uni Classic	11,70	181 Rottweil	R 905	5,180 80,0	5,060 78,0	LRM	RWS	5333 Weather by	89,50	945
347	.300 Weather by Mag.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 907	4,540 70,0	4,410 68,0	LRM	RWS	5333 Weather by	90,10	860
348	.300 Weather by Mag.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 904	4,860 75,0	4,730 73,0	LRM	RWS	5333 Weather by	90,10	875
349	.300 Weather by Mag.	7,62 / .308	RWS	Kegelspit z	13,00	201 Rottweil	R 905	5,120 79,0	4,990 77,0	LRM	RWS	5333 Weather by	90,10	895
350	8 x 57 IRS	8 S / .323	RWS	Evolution Green	9,00	139 Rottweil	R 907	3,370 52,0	3,175 49,0	LR	RWS	5341 RWS	78,80	820
351	8 x 57 IRS	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 903	3,046 47,0	2,851 44,0	LR	RWS	5341 RWS	77,00	708
352	8 x 57 IRS	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 907	2,948 45,5	2,786 43,0	LR	RWS	5341 RWS	77,00	663
353	8 x 57 IRS	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 904	3,434 53,0	3,240 50,0	LR	RWS	5341 RWS	80,00	720
354	8 x 57 IRS	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 903	3,180 49,0	2,980 46,0	LR	RWS	5341 RWS	73,50	760
355	8 x 57 IRS	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 907	3,180 49,0	2,980 46,0	LR	RWS	5341 RWS	73,50	765
356	8 x 57 IRS	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 904	3,400 52,5	3,240 50,0	LR	RWS	5341 RWS	73,50	730
357	8 x 57 IRS	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 903	3,140 48,5	2,980 46,0	LR	RWS	5341 RWS	77,20	750
358	8 x 57 IRS	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 907	3,140 48,5	2,980 46,0	LR	RWS	5341 RWS	77,20	765
359	8 x 57 IRS	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 904	3,400 52,5	3,240 50,0	LR	RWS	5341 RWS	77,20	735

360	8 x 57 IRS	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 903	3,050 47,0	2,850 44,0	LR	RWS	5341 RWS	76,40	720
361	8 x 57 IRS	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 907	3,110 48,0	2,920 45,0	LR	RWS	5341 RWS	76,40	720
362	8 x 57 IRS	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 904	3,370 52,0	3,210 49,5	LR	RWS	5341 RWS	76,40	725
363	8 x 57 IRS	8 S / .323	RWS	Speed Tip Professional	11,70	181 Rottweil	R 907	3,013 46,5	2,819 43,5	LR	RWS	5341 RWS	76,00	715
364	8 x 57 IS	8 S / .323	RWS	Evolution Green	9,00	139 Rottweil	R 907	3,532 54,5	3,370 52,0	LR	RWS	5341 RWS	78,80	868
365	8 x 57 IS	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 903	3,305 51,0	3,175 49,0	LR	RWS	5341 RWS	77,00	755
366	8 x 57 IS	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 907	3,175 49,0	3,046 47,0	LR	RWS	5341 RWS	77,00	720
367	8 x 57 IS	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 903	3,370 52,0	3,110 48,0	LR	RWS	5341 RWS	72,20	810
368	8 x 57 IS	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 907	3,340 51,5	3,210 49,5	LR	RWS	5341 RWS	72,20	805
369	8 x 57 IS	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 904	3,690 57,0	3,430 53,0	LR	RWS	5341 RWS	72,20	800
370	8 x 57 IS	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 903	3,340 51,5	3,050 47,0	LR	RWS	5341 RWS	75,60	810
371	8 x 57 IS	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 907	3,340 51,5	3,210 49,5	LR	RWS	5341 RWS	75,60	805
372	8 x 57 IS	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 904	3,630 56,0	3,370 52,0	LR	RWS	5341 RWS	75,60	800
373	8 x 57 IS	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 903	3,310 51,0	3,050 47,0	LR	RWS	5341 RWS	76,30	795
374	8 x 57 IS	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 907	3,270 50,5	3,110 48,0	LR	RWS	5341 RWS	76,30	785
375	8 x 57 IS	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 904	3,630 56,0	3,370 52,0	LR	RWS	5341 RWS	76,30	795
376	8 x 57 IS	8 S / .323	RWS	Speed Tip Professional	11,70	180 Rottweil	R 903	3,305 51,0	3,046 47,0	LR	RWS	5341 RWS	76,00	795
377	8 x 68 S	8 S / .323	RWS	Evolution Green	9,00	139 Rottweil	R 904	4,860 75,0	4,666 72,0	LR	RWS	5341 RWS	86,50	965
378	8 x 68 S	8 S / .323	RWS	Evolution Green	9,00	139 Rottweil	R 907	4,601 71,0	4,406 68,0	LRM	RWS	5333 RWS	85,00	1006
379	8 x 68 S	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 907	4,277 66,0	4,082 63,0	LRM	RWS	5333 RWS	87,00	849
380	8 x 68 S	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 904	4,666 72,0	4,471 69,0	LRM	RWS	5333 RWS	87,00	870
381	8 x 68 S	8 S / .323	RWS	Evolution	13,00	201 Rottweil	R 905	4,860 75,0	4,666 72,0	LRM	RWS	5333 RWS	87,00	868
382	8 x 68 S	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 907	4,410 68,0	4,150 64,0	LRM	RWS	5333 RWS	83,70	920
383	8 x 68 S	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 904	4,800 74,0	4,600 71,0	LRM	RWS	5333 RWS	83,70	930
384	8 x 68 S	8 S / .323	RWS	Kegelspit z	11,70	181 Rottweil	R 905	5,020 77,5	4,860 75,0	LRM	RWS	5333 RWS	83,70	950
385	8 x 68 S	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 907	4,340 67,0	4,240 65,5	LRM	RWS	5333 RWS	86,20	905
386	8 x 68 S	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 904	4,760 73,5	4,540 70,0	LRM	RWS	5333 RWS	86,20	940
387	8 x 68 S	8 S / .323	RWS	H-Mantel	12,10	187 Rottweil	R 905	5,020 77,5	4,830 74,5	LRM	RWS	5333 RWS	86,20	940
388	8 x 68 S	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 907	4,280 66,0	4,210 65,0	LRM	RWS	5333 RWS	85,30	860
389	8 x 68 S	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 904	4,630 71,5	4,280 66,0	LRM	RWS	5333 RWS	85,30	880
390	8 x 68 S	8 S / .323	RWS	ID Classic	12,80	198 Rottweil	R 905	4,990 77,0	4,670 72,0	LRM	RWS	5333 RWS	85,30	910
391	9,3 x 62	9,3 / .366	RWS	Evolution	18,80	291 Rottweil	R 902	3,758 53,0	3,564 50,0	LR	RWS	5341 RWS	82,00	685
392	9,3 x 62	9,3 / .366	RWS	Evolution Green	11,90	184 Rottweil	R 902	4,082 63,0	3,888 60,0	LR	RWS	5341 RWS	82,30	889
393	9,3 x 62	9,3 / .366	RWS	Evolution Green	11,90	184 Rottweil	R 901	3,629 56,0	3,434 53,0	LR	RWS	5341 RWS	82,00	877
394	9,3 x 62	9,3 / .366	RWS	Doppelkern	14,60	225 Rottweil	R 902	3,760 58,0	3,560 55,0	LR	RWS	5341 RWS	78,50	810
395	9,3 x 62	9,3 / .366	RWS	Doppelkern	14,60	225 Rottweil	R 903	4,150 64,0	3,890 60,0	LR	RWS	5341 RWS	78,50	810
396	9,3 x 62	9,3 / .366	RWS	Doppelkern	14,60	225 Rottweil	R 907	4,080 63,0	3,890 60,0	LR	RWS	5341 RWS	78,50	805
397	9,3 x 62	9,3 / .366	RWS	Kegelspit z	16,00	247 Rottweil	R 902	3,660 56,5	3,560 55,0	LR	RWS	5341 RWS	80,50	765
398	9,3 x 62	9,3 / .366	RWS	Kegelspit z	16,00	247 Rottweil	R 903	3,950 61,0	3,820 59,0	LR	RWS	5341 RWS	80,50	750
399	9,3 x 62	9,3 / .366	RWS	Kegelspit z	16,00	247 Rottweil	R 907	3,950 61,0	3,820 59,0	LR	RWS	5341 RWS	80,50	750
400	9,3 x 62	9,3 / .366	RWS	H-Mantel	16,70	258 Rottweil	R 902	3,630 56,0	3,430 53,0	LR	RWS	5341 RWS	81,70	735

401	9,3 x 62	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 903	3,920	60,5	3,690	57,0	LR	RWS	5341	RWS	81,70	755
402	9,3 x 62	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 907	3,950	61,0	3,760	58,0	LR	RWS	5341	RWS	81,70	745
403	9,3 x 62	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 902	3,530	54,5	3,310	51,0	LR	RWS	5341	RWS	82,10	700
404	9,3 x 62	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 903	3,790	58,5	3,560	55,0	LR	RWS	5341	RWS	82,10	700
405	9,3 x 62	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 907	3,860	59,5	3,690	57,0	LR	RWS	5341	RWS	82,10	700
406	9,3 x 62	9,3 / .366	RWS	Uni Classic	19,00	293	Rottweil	R 902	3,530	54,5	3,430	53,0	LR	RWS	5341	RWS	82,00	695
407	9,3 x 62	9,3 / .366	RWS	Uni Classic	19,00	293	Rottweil	R 903	3,760	58,0	3,560	55,0	LR	RWS	5341	RWS	82,00	710
408	9,3 x 62	9,3 / .366	RWS	Uni Classic	19,00	293	Rottweil	R 907	3,820	59,0	3,630	56,0	LR	RWS	5341	RWS	82,00	705
409	9,3 x 64	9,3 / .366	RWS	Evolution	18,80	290	Rottweil	R 903	4,406	68,0	4,212	65,0	LRM	RWS	5333	RWS	84,00	763
410	9,3 x 64	9,3 / .366	RWS	Evolution	18,80	290	Rottweil	R 907	4,406	68,0	4,212	65,0	LRM	RWS	5333	RWS	84,00	761
411	9,3 x 64	9,3 / .366	RWS	Evolution	18,80	290	Rottweil	R 904	4,860	75,0	4,666	72,0	LRM	RWS	5333	RWS	84,00	773
412	9,3 x 64	9,3 / .366	RWS	Evolution Green	11,90	184	Rottweil	R 902	4,666	72,0	4,471	69,0	LRM	RWS	5333	RWS	84,50	963
413	9,3 x 64	9,3 / .366	RWS	Doppelkern	14,60	225	Rottweil	R 903	4,800	74,0	4,540	70,0	LRM	RWS	5333	RWS	80,50	900
414	9,3 x 64	9,3 / .366	RWS	Doppelkern	14,60	225	Rottweil	R 907	4,730	73,0	4,540	70,0	LRM	RWS	5333	RWS	80,50	900
415	9,3 x 64	9,3 / .366	RWS	Doppelkern	14,60	225	Rottweil	R 904	5,180	80,0	4,920	76,0	LRM	RWS	5333	RWS	80,50	900
416	9,3 x 64	9,3 / .366	RWS	Kegelspitze	16,00	247	Rottweil	R 903	4,570	70,5	4,410	68,0	LRM	RWS	5333	RWS	83,00	825
417	9,3 x 64	9,3 / .366	RWS	Kegelspitze	16,00	247	Rottweil	R 907	4,730	73,0	4,470	69,0	LRM	RWS	5333	RWS	83,00	825
418	9,3 x 64	9,3 / .366	RWS	Kegelspitze	16,00	247	Rottweil	R 904	4,890	75,5	4,800	74,0	LRM	RWS	5333	RWS	83,00	835
419	9,3 x 64	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 903	4,500	69,5	4,210	65,0	LRM	RWS	5333	RWS	85,50	820
420	9,3 x 64	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 907	4,540	70,0	4,410	68,0	LRM	RWS	5333	RWS	85,50	820
421	9,3 x 64	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 904	4,930	76,0	4,800	74,0	LRM	RWS	5333	RWS	85,50	815
422	9,3 x 64	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 907	4,410	68,0	4,080	63,0	LRM	RWS	5333	RWS	84,50	780
423	9,3 x 64	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 904	4,860	75,0	4,540	70,0	LRM	RWS	5333	RWS	84,50	785
424	9,3 x 64	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 905	4,990	77,0	4,860	75,0	LRM	RWS	5333	RWS	84,50	775
425	9,3 x 64	9,3 / .366	RWS	Uni Classic	19,00	293	Rottweil	R 903	4,310	66,5	4,080	63,0	LRM	RWS	5333	RWS	85,50	765
426	9,3 x 64	9,3 / .366	RWS	Uni Classic	19,00	293	Rottweil	R 907	4,340	67,0	4,280	66,0	LRM	RWS	5333	RWS	85,50	770
427	9,3 x 64	9,3 / .366	RWS	Uni Classic	19,00	293	Rottweil	R 904	4,860	75,0	4,670	72,0	LRM	RWS	5333	RWS	85,50	785
428	9,3 x 74 R	9,3 / .366	RWS	Evolution	18,80	290	Rottweil	R 902	3,499	54,0	3,305	51,0	LR	RWS	5341	RWS	94,00	679
429	9,3 x 74 R	9,3 / .366	RWS	Evolution	18,80	290	Rottweil	R 903	3,888	60,0	3,694	57,0	LR	RWS	5341	RWS	94,00	700
430	9,3 x 74 R	9,3 / .366	RWS	Evolution	18,80	290	Rottweil	R 907	3,694	57,0	3,499	54,0	LR	RWS	5341	RWS	94,00	559
431	9,3 x 74 R	9,3 / .366	RWS	Evolution Green	11,90	184	Rottweil	R 902	4,050	62,5	3,888	60,0	LR	RWS	5341	RWS	94,50	853
432	9,3 x 74 R	9,3 / .366	RWS	Doppelkern	14,60	225	Rottweil	R 902	3,820	59,0	3,630	56,0	LR	RWS	5341	RWS	90,50	775
433	9,3 x 74 R	9,3 / .366	RWS	Doppelkern	14,60	225	Rottweil	R 903	4,210	65,0	4,020	62,0	LR	RWS	5341	RWS	90,50	780
434	9,3 x 74 R	9,3 / .366	RWS	Doppelkern	14,60	225	Rottweil	R 907	4,150	64,0	3,890	60,0	LR	RWS	5341	RWS	90,50	785
435	9,3 x 74 R	9,3 / .366	RWS	Kegelspitze	16,00	247	Rottweil	R 902	3,530	54,5	3,370	52,0	LR	RWS	5341	RWS	92,50	720
436	9,3 x 74 R	9,3 / .366	RWS	Kegelspitze	16,00	247	Rottweil	R 903	3,990	61,5	3,890	60,0	LR	RWS	5341	RWS	92,50	725
437	9,3 x 74 R	9,3 / .366	RWS	Kegelspitze	16,00	247	Rottweil	R 907	3,990	61,5	3,890	60,0	LR	RWS	5341	RWS	92,50	750
438	9,3 x 74 R	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 902	3,500	54,0	3,310	51,0	LR	RWS	5341	RWS	94,50	700
439	9,3 x 74 R	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 903	3,820	59,0	3,560	55,0	LR	RWS	5341	RWS	94,50	740
440	9,3 x 74 R	9,3 / .366	RWS	H-Mantel	16,70	258	Rottweil	R 907	3,860	59,5	3,760	58,0	LR	RWS	5341	RWS	94,50	720
441	9,3 x 74 R	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 902	3,560	55,0	3,500	54,0	LR	RWS	5341	RWS	94,00	690
442	9,3 x 74 R	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 903	3,950	61,0	3,890	60,0	LR	RWS	5341	RWS	94,00	690
443	9,3 x 74 R	9,3 / .366	RWS	TMR	18,50	285	Rottweil	R 907	3,820	59,0	3,760	58,0	LR	RWS	5341	RWS	94,00	685

444	9,3 x 74 R	9,3 / .366	RWS	Uni Classic	19,00	293 Rottweil	R 902	3,430 53,0	3,240 50,0	LR	RWS	5341 RWS	95,80	670
445	9,3 x 74 R	9,3 / .366	RWS	Uni Classic	19,00	293 Rottweil	R 903	3,660 56,5	3,500 54,0	LR	RWS	5341 RWS	95,80	675
446	9,3 x 74 R	9,3 / .366	RWS	Uni Classic	19,00	293 Rottweil	R 907	3,690 57,0	3,630 56,0	LR	RWS	5341 RWS	95,80	650
447	.375 H & H Mag.	9,55 / .375	RWS	Uni Classic	19,50	301 Rottweil	R 903	4,760 72,5	4,600 71,0		RWS	5333 und 5341 RWS	91,40	770
448	.375 H & H Mag.	9,55 / .375	RWS	Uni Classic	19,50	301 Rottweil	R 907	4,730 73,0	4,600 71,0		RWS	5333 und 5341 RWS	91,40	780
449	.375 H & H Mag.	9,55 / .375	RWS	Uni Classic	19,50	301 Rottweil	R 904	4,890 75,5	4,730 73,0		RWS	5333 und 5341 RWS	91,40	730
450	10,3 x 60 R	10,3 / .413	RWS	Kegelspit z	16,40	253 Rottweil	R 902	4,280 66,0	4,080 63,0	LRM	RWS	5333 RWS	79,00	745
451	10,3 x 60 R	10,3 / .413	RWS	Kegelspit z	16,40	253 Rottweil	R 903	4,670 72,0	4,410 68,0	LRM	RWS	5333 RWS	79,00	745
452	10,3 x 60 R	10,3 / .413	RWS	Kegelspit z	16,40	253 Rottweil	R 907	4,670 72,0	4,410 68,0	LRM	RWS	5333 RWS	79,00	750